







NEW TOOLS REFCO 2017

| Products | Features | Part No |
|--|--|-----------------------|
| <p><i>Please note that these new wrenches do not replace the old ones. You will find new item numbers.</i></p> | <p>The new, high-quality fine tooth ratchet wrench with 72-tooth gear provide always a perfect working angle. Developed for the demanding HVAC/R service engineer.</p> <ul style="list-style-type: none"> • 72-tooth gear to provide optimal working angle • Rugged ratchet mechanism • Chrome for easy cleaning • 4 sizes in one tool • Designed for the HVAC/R market | |
|  | <p>SW-124-C The combination ratchet wrench provides 4 sizes in one tool.</p> <ul style="list-style-type: none"> • 9/16" hex for dust cap on valves and for bolts on compressors • 1/2" hex for screws • 1/4" square for valves • 3/16" square for refrigerant cylinders | <p>4687627</p> |
|  | <p>SW-127-C The ratchet wrench for compressors – designed for jobs in narrow spaces.</p> <ul style="list-style-type: none"> • Square: 1/4" x 3/8" • Square: 3/16" x 5/16" | <p>4687626</p> |
|  | <p>SW-127-OFFSET The ratchet wrench for compressors with 25° angulation – for unique handling in narrow spaces.</p> <ul style="list-style-type: none"> • Square: 1/4" x 3/8" • Square: 3/16" x 5/16" | <p>4687628</p> |
|  | <p>R6950 NEW MODEL. High-quality, fine tooth refrigeration ratchet for a wide range of jobs. Ideal to work in narrow spaces. The mechanical system with 60-tooth gear provides always a perfect working angle. Developed for the demanding HVAC/R service engineer. Made of chrome vanadium steel.</p> <ul style="list-style-type: none"> • Head: 1/4" and 5/16". • Handle: 3/8", 1/2", 5/16" | <p>9881547</p> |

| | | |
|---|--|---|
|   | <p>SPARE HEADS FOR HY-EX</p> <p>HY-EX-1/4" 1/4"</p> <p>HY-EX-5/16" 5/16"</p> <p>HY-EX-3/8" 3/8"</p> <p>HY-EX-1/2" 1/2"</p> <p>HY-EX-5/8" 5/8"</p> <p>HY-EX-3/4" 3/4"</p> <p>HY-EX-7/8" 7/8"</p> <p>HY-EX-1" 1"</p> <p>HY-EX-1 1/8" 1 1/8"</p> <p>HY-EX-1 1/4" 1 1/4"</p> <p>HY-EX-1 3/8" 1 3/8"</p> <p>HY-EX-1 1/2" 1 1/2"</p> <p>HY-EX-1 5/8" 1 5/8"</p> <p>HY-EX-8MM 8 mm</p> <p>HY-EX-10MM 10 mm</p> <p>HY-EX-12MM 12 mm</p> <p>HY-EX-15MM 15 mm</p> <p>HY-EX-16MM 16 mm</p> <p>HY-EX-18MM 18 mm</p> <p>HY-EX-22MM 22 mm</p> <p>HY-EX-25MM 25 mm</p> <p>HY-EX-28MM 28 mm</p> <p>HY-EX-35MM 35 mm</p> <p>HY-EX-42MM 42 mm</p> | <p>4687344</p> <p>4687346</p> <p>4687367</p> <p>4687366</p> <p>4687365</p> <p>4687368</p> <p>4687369</p> <p>4687345</p> <p>4687370</p> <p>4687478</p> <p>4687347</p> <p>4687477</p> <p>4687348</p> <p>4687441</p> <p>4687442</p> <p>4687443</p> <p>4687444</p> <p>4687445</p> <p>4687446</p> <p>4687447</p> <p>4687448</p> <p>4687449</p> <p>4687479</p> <p>4687450</p> |
|  | <p>HY-OIL</p> <p>Hydraulic oil for HY-EX expander</p> <p>50ml</p> | <p>4687579</p> |
|  | <p>32525 1/4"</p> <p>Charging and evacuation valve key for fluid filling by Schrader valves with a 360°access connection</p> <ul style="list-style-type: none"> • Saves about 50% of usual service time. • No need to empty the coolant device. With a stop valve. • Access port rotating 360° for an easy | <p>4687701</p> |



| | | |
|--|---|--|
|     | <p>Supplement to the range of charging hoses REFCO with special formed <u>neoprene</u> gasket. Hoses using neoprene gasket have superior performance during evacuation. The working pressure of the charging links is 60 bar / 870 psi. High quality lines suitable for all refrigerants, Working pressure 60 bar/870 psi, Burst pressure 300 bar /4350 psi.</p> <p>Set of 3 pieces with CA-valves : CA-CCL-60-N -60 inches /150 cm 4687671 CA-CCL-60-1/2"-20UNF-N 60 inches.150 cm 4687672</p> <p>Set of 3 pieces with CA-valves CCL-36-N 36 inches 90 cm 4687664 CCL-60-N 60 inches 150 cm 4687668 CCL-72-N 72 inches 180 cm 4687669 CCL-60-1/2"-20UNF-N 60 inches 150 cm 4687670</p> | |
|  | <p><u>New condensate pumps</u> <u>COMBI and GOBI II</u></p> <p>www.condensate-pumps.com</p> | |

Pentru informatii suplimentare si cereri de oferta va rugam contactati departamentul Vanzari al Beijer Ref Romania.

Contact:

vanzari@beijerref.ro
office@beijerref.ro

www.beijerref.ro